SUBJECT INDEX

This index refers to articles in English and to English summaries of articles in French

(Page numbers in italics refer to articles in Supplement No. 1 (**S1**) and No. 2 (**S2**) of Vol. 76, 1998)

acquired immunodeficiency syndrome, *see* AIDS, HIV/AIDS
acute flaccid paralysis, in Netherlands, 1992–94, 55
acute respiratory infections, the forgotten pandemic, 101
Africa, epidemiology of rotavirus diarrhoea to assess the need for immunization, 525
malaria in the highlands, 33
malaria control in tropical, 10 (English summary of Retrospective in French)
prognostic scores in meningococcal epidemics, 149
tropical Sub-Saharan, gastrointestinal pathologies in, 207
West and Central, smallpox eradication in, 219 (Retrospective), 233 (Commentary)
AIDS, global surveillance and forecasting, 429 (Retrospective)
see HIV/AIDS
African trypanosomiasis, latex agglutination field test, 553
American trypanosomiasis, *see* Chagas disease
amphotericin B (AmBisome), for leishmaniasis, 25
antimalarials, interventions to improve use of, Preface to Supplement No. 1, **S1**.*5*
Argentina, domestic density of *Triatoma infestans*, 373
artesunate, efficacy in treatment of non-severe falciparum malaria, in Myanmar, **S1**.*35*
compliance with, against uncomplicate falciparum malaria, in Thailand, **S1**.*59*
"auto-destruct" syringes, 99

bacterial contamination of feeding bottles, in São Paulo, Brazil, 173
Bangladesh, causes of childhood deaths, verbal autopsy study, 161
childhood immunization coverage, in Dhaka City, 565
oral rehydration solution for diarrhoea with dehydration, 319 (Retrospective), 325 (Commentary)
tetanus toxoid immunization coverage among women in Dhaka City, 449
BCG, survey of vaccination policy in Europe, 1994–96, 85
bednets, trial using insecticide-treated, in rural United Republic of Tanzania, 607
Benin, choice of health care treatment in Cotonou, 201 (English summary of article in French)
blood, cord blood banking, 313
Brazil, bacterial contamination of feeding bottles in São Paulo, 173
Chagas disease control programme, 385
comparison of low-birth-weight trends in Ribeirão Preto, 73

cadmium contamination of water, renal dysfunction from, in China, 153
Cambodia, improving compliance with quinine 1 tetracycline against malaria, **S1**.*43*
cardiovascular diseases, long-term prevalence of, in Finland, 419
caries, prevalence in 65–74-year-olds, in Europe, 413
cerebral malaria and meningitis, first-line care for, 257
Chagas disease, control programme in Brazil, 385
fact sheet on possible elimination, **S2**.*144*
see Triatoma infestans
childhood deaths, causes of, verbal autopsy study in Bangladesh, 161
China, eradication of schistosomiasis in Guangxi, Part 1, 361; Part 2, 497; Part 3, 581
renal dysfunction from cadmium contamination of water, 153
resurgence of vivax malaria in Henan Province, 265
treatment of vivax malaria, drug packaging and patients' compliance in, **S1**.*21*
cholera, cost-effectiveness of oral vaccine, 343
use of CVD 103-HgR vaccine in adults in Mali, 63
communicable diseases, emerging infectious and, 539 (Retrospective), 545 (Commentary)
congenital syphilis, fact sheet on possible elimination, **S2**.*126*
cord blood banking, 313
Côte d'Ivoire, detection of sleeping sickness, 564

diarrhoea, childhood, cost-effectiveness of water and sanitation interventions, 617
rotavirus, review of epidemiology in Africa, 525

diarrhoeal diseases, replacement of intravenous therapy by oral rehydration solution, 319 (Retrospective)
diethylcarbamazine, efficacy in treatment of lymphatic filariasis, in Fiji, 575
diphtheria, fact sheet on possible elimination, **S2**.*129*
disease elimination and eradication, conference synthesis, **S2**.*109*
discussion following reports, **S2**.*104*
keynote address, **S2**.*14*
identification of candidate diseases, **S2**.*54*
noninfectious conditions, **S2**.*55*, **S2**.*80*
bacterial conditions, **S2**.*61*, **S2**.*85*
parasitic diseases, **S2**.*64*, **S2**.*89*
viral diseases, **S2**.*68*, **S2**.*94*
post-conference report, **S2**.*113*
principles, **S2**.*22*
report of the workgroup, **S2**.*72*
summary of conference, **S2**.*9*
dracunculiasis, eradication programmes, **S2**.*38*

Echinococcus granulosus, transmission in South Powys, Wales, 469
enterohaemorrhagic *Escherichia coli* infections, prevention and control of, 245
EPI, *see* immunization
eradication of diseases, health systems development, **S2**.*26*
lessons from the past, **S2**.*17*
***Escherichia coli* infections**, prevention and control of enterohaemorrhagic, 245
Europe, legionnaires' disease, 1996, 213
prevalence of caries and edentulousness, 413

Fiji, efficacy of diethylcarbamazine in treatment of lymphatic filariasis, 575
filariasis, *see* lymphatic filariasis
Finland, changes in premature deaths, 419
long-term prevalence of cardiovascular diseases, 419

gastrointestinal pathologies, in tropical Sub-Saharan Africa, 207
Ghana, comparison of AIK-C measles vaccine with Schwarz vaccine, 353
global disease elimination and eradication, summary of conference, **S2**.*9*
Global Oral Data Bank, 1986–96, 237
gynaecological morbidity, in Mumbai, India, 277

haemoculture, for diagnosis of leishmaniasis, 203
***Haemophilus influenzae* type b infection**, fact sheet on possible elimination, **S2**.*131*
Haiti, control of sexually transmitted diseases, 1992–95, 189
health care, flow diagram for interventions and research, 17
health care treatment, choice of, in Cotonou, Benin, 201 (English summary of article in French)
health services, estimating programme costs using financial statements, in Nepal, 459
health workers, effectiveness in detecting sleeping sickness, in Côte d'Ivoire, 564 (English summary of article in French)
hepatitis B virus infection, fact sheet on possible elimination, **S2**.*152*
HIV, time trends of epidemic in Punjab, India, 509
HIV/AIDS, in the 1990s and beyond, 437 (Commentary)
HIV seroprevalence, among women in Mumbai, India, 277
hunger, use of Radimer/Cornell hunger scale, in Russian Federation, 143

immunization, rehabilitation of the expanded programme in Sudan, 335
childhood, coverage in Dhaka City, Bangladesh, 565
immunoglobulin A, nomenclature of, 427
India, community-based study of maternal mortality in rural Maharashtra, 591
controlled study of tuberculosis in South, 109 (Retrospective)
outbreak of viral hepatitis B in a rural community, 93
prescribing patterns among physicians in Pune, 271
reproductive tract infections and HIV seroprevalence among women in Mumbai, 277
time trends of HIV epidemic in Punjab, 509
Indonesia, effect of rabies immunoglobulins on rabies vaccine immunogenicity, 491
infectious disease surveillance, time-series analysis in, 327
infectious diseases, emerging, 539 (Retrospective), 545 (Commentary)
infertility, prevalence and causes in Western Siberia, 183
injections, unsafe, 99
iodine deficiency, fact sheet on possible elimination, **S2**.*118*
Iran, cutaneous leishmaniasis, in children in Bam, 289
iron deficiency, fact sheet on possible elimination, **S2**.*121*
Italy, tetanus in the Marches Region, 1992–95, 47

kala-azar, knowledge, attitude and practices in rural Nepal, 485

Lao People's Democratic Republic, childhood malaria in, **S1**.*29*
latex agglutination test, for human African trypanosomiasis, 553
legionnaires' disease, in Europe, 1996, 213
leishmaniasis, cutaneous, in children in Bam, Islamic Republic of Iran, 289
efficacy of liposomal amphotericin B, 25
haemoculture in diagnosis of, 203
leprosy, fact sheet on possible elimination, **S2**.*133*
Lesotho, antibiotic resistance of *Streptococcus pneumoniae* from children, 641
low birth weight, comparison of trends in Ribeirño Preto, Brazil, 73
lymphatic filariasis, efficacy of diethylcarbamazine in treatment of, in Fiji, 575
fact sheet on possible elimination, **S2**.*145*

malaria, cerebral, first-line care in meningitis and, 257
childhood, in Lao People's Democratic Republic, **S1**.*21*
improving compliance with quinine + tetracycline, in Cambodia, **S1**.*43*
in African highlands, 33
interventions to improve use of antimalarials, in South-East Asia, **S1**.*9*
low-dose phenobarbital as indicator of antimalarial compliance, **S1**.*67*
non-severe falciparum, efficacy of artesunate + mefloquine, in Myanmar, **S1**.*35*
uncomplicated falciparum, compliance with artesunate and quinine + tetracycline, in Thailand, **S1**.*59*
use and quality of antimalarials, in Viet Nam, **S1**.*51*
vivax, drug packaging and patients' compliance, in China, **S1**.*21*
resurgence in Henan Province, China, 265
see also antimalarials, bednets, malaria control
malaria control, in the 1990s, 11 (Commentary)
in tropical Africa, 10 (English summary of Retrospective in French)
Malawi, first-line care in cerebral malaria and meningitis, 257
tuberculosis in Karonga District, 295
Mali, cartography of trachoma, 606 (English summary of article in French)
use of cholera vaccine CVD 103-HgR in adults, 63
maternal mortality, community-based study in rural Maharashtra, India, 591
measles, AIK-C vaccine compared with Schwarz vaccine, in Ghana, 353
fact sheet on possible elimination, **S2**.*154*
measles eradication, in the Americas, **S2**.*47*
mefloquine, efficacy in treatment of non-severe falciparum malaria, in Myanmar, **S1**.*35*
meningitis, first-line care for cerebral malaria and, 257
priority of vaccination or treatment, 135
prognostic scores in African epidemics, 149
micronutrient malnutrition, elimination or eradication, **S2**.*34*
Myanmar, treatment of non-severe falciparum malaria, efficacy of artesunate + mefloquine, **S1**.*35*

Neisseria meningitidis, detection of penicillin-resistant strains, 399 (English summary of article in French)
neonatal tetanus, fact sheet on possible elimination, **S2**.*135*
Nepal, estimating health programme costs using financial statements, 459
knowledge, attitude and practices about kala-azar in rural communities, 485
Netherlands, acute flaccid paralysis, 1992–94, 55
nomenclature, immunoglobulin A and other proteins of the mucosal immune system, 427
noncommunicable diseases, primary care model for managing, in rural South Africa, 633

obituary, Jonathan Mann, iii–iv (in No. 5 issue)
onchocerciasis, fact sheet on possible elimination, **S2**.*147*
oral health, prevalence of caries and edentulousness, in Europe, 413
oral health surveys, WHO Global Oral Data Bank, 1986–96, 237
oral rehydration solution, for treatment of diarrhoea with dehydration, 319 (Retrospective), 325 (Commentary)

Papua New Guinea, screening of rural women for sexually transmitted diseases, 401
penicillin, detection of *Neisseria meningitidis* strains resistant to, 399 (English summary of article in French)
pertussis, fact sheet on possible elimination, **S2**.*137*
phenobarbital, low-dose, as indicator of antimalarial compliance, **S1**.*67*
poliomyelitis, global eradication initiative, **S2**.*42*
outbreak in Sudan, with rehabilitation of the expanded programme on immunization, 335
prescribing patterns, among medical practitioners in Pune, India, 271
primary health care, model for managing noncommunicable diseases, in rural South Africa, 633

public health interventions, research steps in development and evaluation of, 127

quinine, improving compliance with malaria treatment, in Cambodia, **S1**.*43*
compliance with, against uncomplicated falciparum malaria in Thailand, **S1**.*59*

rabies, effect of rabies immunoglobulins on rabies vaccine immunogenicity, in Indonesia, 491
reproductive tract infections, among women in Mumbai, India, 277
rotavirus diarrhoea, review of epidemiology in Africa, 525
rubella and congenital rubella syndrome, fact sheet on possible elimination, **S2**.*156*
Russian Federation, use of Radimer/Cornell hunger scale, 143
cost-effectiveness analysis of tuberculosis control in Ivanova *Oblast*, 475

schistosomiasis, eradication in Guangxi, China, Part 1, 361; Part 2, 497; Part 3, 581
fact sheet on possible elimination, **S2**.*150*
sexually transmitted diseases, control in Haiti, 1992–95, 189
screening of rural women, in Papua New Guinea, 401
WHO therapeutic algorithms, 401
smallpox eradication, in West and Central Africa, 219 (Retrospective), 233 (Commentary)
snake-bites, global appraisal of, 515
spina bifida and anencephaly, fact sheet on folic-acid-preventable, **S2**.*116*
sports medicine, consensus statement on organized sports for children, 445
Streptococcus pneumoniae, antibiotic resistance of isolates from children, in Lesotho, 641
Sudan, rehabilitation of the expanded programme on immunization after a poliomyelitis outbreak, 335

tetanus, in the Marches Region, Italy, 1992–95, 47
neonatal, fact sheet on possible elimination, **S2**.*135*
tetanus toxoid, immunization coverage among women in Dhaka City, Bangladesh, 449
tetracycline, compliance with, against uncomplicated falciparum malaria in Thailand, **S1**.*59*
improving compliance with malaria treatment, in Cambodia, **S1**.*43*
Thailand, compliance with antimalarials against uncomplicated falciparum malaria, **S1**.*59*
trachoma, cartography of infection in Mali, 606 (English summary of article in French)
fact sheet on possible elimination, **S2**.*139*
Triatoma infestans, domestic density of, in Argentina, 373
trypanosomiasis, human African, latex agglutination field test, 553
effectiveness of health workers and teams in detecting, in Côte d'Ivoire, 564 (English summary of article in French)
tuberculosis, controlled study in South India, 109 (Retrospective)
evaluation and determinants of outcome of treatment, 307
fact sheet on possible elimination, **S2**.*141*
making treatment available for all, 125 (Commentary)
measurement and determinants of, in Karonga District, Malawi, 295
rapid culture of tubercle bacilli, 309
tuberculosis control, cost-effectiveness analysis, in Ivanova *Oblast*, Russian Federation, 475

United Republic of Tanzania, trial using insecticide-treated bednets, 607
unsafe injections, 99

vaccination, during a meningitis epidemic, 135
vaccination policy, BCG in Europe, 1994–96, 85
vaccine, oral cholera, cost-effectiveness of, 343
AIK-C measles, comparison with Schwarz vaccine, in Ghana, 353
Viet Nam, use and quality of antimalarials in the private sector, **S1**.*51*
viral hepatitis B, fact sheet on possible elimination, **S2**.*152*
outbreak in rural India, 93
vitamin A deficiency, fact sheet on possible elimination, **S2**.*124*

Wales, transmission of *Echinococcus granulosus* in South Powys, 469
water and sanitation, cost-effectiveness of interventions to control childhood diarrhoea, 617
Western Siberia, prevalence and causes of infertility, 183
WHO, fiftieth anniversary (Editorial), 1
WHO Global Oral Data Bank, 1986–96, 237

yellow fever, fact sheet on possible elimination, **S2**.*158*

INDEX DES MATIÈRES

Cet index concerne les articles en français et les résumés en français des articles rédigés en anglais.
(Les numéros de page en italique se réfèrent au Supplément No 1 (**S1**) du volume 76, 1998)

Afrique, épidémiologie de la diarrhée à rotavirus: évaluation des besoins en matière de vaccination, 533
occidentale et centrale, éradication de la variole 231 (rétrospective), 234 (commentaire)
paludisme sur les hauts plateaux, 43
scores pronostiques dans les épidémies de méningococcies, 151
subsaharienne tropicale, pathologies digestives, 211
tropicale, lutte contre le paludisme, 3
agents de santé communautaires, efficacité dans le dépistage de la maladie du sommeil, 559
amphotéricine B (AmBisome), leishmaniose, 31
anatoxine tétanique, couverture vaccinale chez les femmes de Dhaka, Bangladesh, 456
Argentine, densité domiciliaire de *Triatoma infestans*, 383
artésunate, efficacité dans le traitement du paludisme à falciparum non compliqué, Myanmar, **S1**, *40*
observance des traitements contre un paludisme à falciparum non compliqué, Thaïlande, **S1**, *65*

Bangladesh, causes de décès chez l'enfant, autopsie verbale, 169
couverture vaccinale par l'anatoxine tétanique chez les femmes de la ville de Dhaka, 456
solution de réhydratation orale, traitement des diarrhées avec déshydratation, 323 (rétrospective), 325, (commentaire)
banque de données de l'OMS, santé bucco-dentaire, 1986-1996, 243
banques de sang de cordon, 315
BCG, enquête sur la politique de vaccination en Europe, 1994–1996, 90
Bénin, déterminants du recours aux soins dans la ville de Cotonou, 195
Brésil, comparaison de deux cohortes sur les tendances du faible poids de naissance, Ribeirao Preto, 82
contamination bactérienne des biberons dans la ville de Sao Paulo, 179
programme de lutte contre la maladie de Chagas, 390

Cambodge, amélioration de l'observance du traitement antipaludique par la quinine + tétracycline, **S1**, *49*
caries, prévalence chez les 65–74 ans, Europe, 417
Chine, contamination de l'eau par le cadmium, dysfonctionnement rénal dû à la, 158
éradication de la schistosomiase dans le Guangxi, Partie 1, 371, Partie 2, 505, Partie 3, 589
résurgence du paludisme à *P. vivax* dans la Province du Henan, 269
traitement du paludisme à *P. vivax*, effet du conditionnement des médicaments, **S1**, *26*
choléra, rentabilité du vaccin anticholérique oral, 350
vaccin anticholérique buccal vivant CVD 103-HgR chez l'adulte, Mali, 69
contamination, bactérienne, biberons, Sao Paulo, Brésil, 179
de l'eau par le cadmium, dysfonctionnement rénal dû à la, Chine, 158
couverture vaccinale, par l'anatoxine tétanique chez les femmes de la ville de Dhaka, Bangladesh, 456

danger des injections, 100
décès chez l'enfant, causes de, résultats d'une étude par autopsie verbale, Bangladesh, 169
diarrhées, à rotavirus, évaluation des besoins en matière de vaccination, Afrique, 533
de l'enfant, réévaluation de la rentabilité des interventions "eau/assainissement", 628
remplacement de la perfusion par l'administration orale d'une solution de réhydratation, 323 (rétrospective)
diethylcarbamazine, efficacité du traitement de la filariose lymphatique, Fidji, 578

"eau/assainissement", réévaluation de la rentabilité des interventions pour la lutte contre les diarrhées, de l'enfant , 628
Echinococcus granulosus, transmission, South Powys, Pays de Galles, 472
enquêtes sur la santé bucco-dentaire, banque de données de l'OMS, 1986–1996, 243
éradication de la schistosomiase, Guangxi, Chine, Partie 1, 371, Partie 2, 505, Partie 3, 589

éradication de la variole, Afrique, occidentale et centrale, 231 (rétrospective), 234 (commentaire)
***Escherichia coli* entérohémorragique** (ECEH), prévention et lutte, 254
état nutritionnel, évaluation de l', échelle de Radimer/Cornell, Fédération de Russie 147
Europe, légionellose, 1996, 215
prévalence des caries et proportion de personnes édentées, chez les 65–74 ans, 417

faible poids de naissance, comparaison de deux cohortes sur les tendances du, Ribeirao Preto, Brésil, 82
Fédération de Russie, analyse du rapport coût-efficacité, lutte contre la tuberculose, région d'Ivanovo, 482
évaluation de l'état nutritionnel, échelle de Radimer/Cornell, 147
Fidji, efficacité du traitement de la filariose lymphatique à la diéthylcarbamazine, 578
filariose lymphatique, efficacité du traitement à la diéthylcarbamazine, Fidji, 578
Finlande, évolution des décès prématurés, 424
maladies cardio-vasculaires, prévention à long terme, 424

Ghana, comparaison du vaccin antirougeoleux AIK-C avec le vaccin Schwarz, 358

Haïti, lutte contre les maladies sexuellement transmissibles, 193
hémoculture, moyen de diagnostic de la leishmaniose viscérale, 206
hépatite B, flambée de cas dans une communauté rurale de l'Inde, 97

immunoglobulines A, nomenclature, 428
Inde, étude comparative sur la tuberculose, Madras, 122 (rétrospective)
flambée de cas d'hépatite B dans une communauté rurale, 97
infections génitales, morbidité gynécologique et séroprévalence du VIH chez les femmes de Mumbai, 286
épidémie au Penjab, tendances sur une décennie, 512
mortalité maternelle dans une zone rurale de l'ouest du Maharashtra, 597
pratiques de prescription médicale à Pune, 274
Indonésie, effet inhibiteur des immunoglobulines antirabiques sur l'immunogénicité de la vaccination antirabique, 494
infections à *Escherichia coli* entérohémorragique (ECEH), prévention et lutte, 254
infections génitales, chez les femmes de Mumbai, Inde, 286
infections respiratoires aigües, une pandémie oubliée, 105
injections, danger, 100
interventions de santé publique, étapes de la recherche dans l'élaboration et l'évaluation des, 132
interventions destinées à améliorer l'utilisation des antipaludiques en Asie du Sud-Est, **S1**, 7, 18
Iran, leishmaniose cutanée, élèves de l'enseignement primaire à Bam, 292
Italie, tétanos dans la région des Marches, 1992–1995, 52

Kala-azar, connaissances, attitudes et pratiques, communautés rurales du Népal, 489

leishmaniose, cutanée, élèves de l'enseignement primaire à Bam, Iran, 292
efficacité de l'amphotéricine B incluse dans des liposomes, 31
hémoculture comme moyen de diagnostic de la, 206
Lesotho, résistance aux antibiotiques de *Streptococcus pneumoniae* chez les enfants, 649
lutte contre le paludisme, Afrique tropicale, 3 (rétrospective),
dans les années 90, 14
lutte contre la tuberculose, analyse du rapport coût-efficacité, région d'Ivanovo, Fédération de Russie, 482

maladie de Chagas, *voir Triatoma infestans*
programme de lutte, Brésil, 390
maladies sexuellement transmissibles, algorithmes thérapeutiques de l'OMS, 409
dépistage chez la femme en milieu rural, Papouasie-Nouvelle-Guinée, 409
lutte contre les, Haïti, 193
maladies émergentes et autres maladies transmissibles, 546
maladies non transmissibles, un modèle sud-africain de soins de santé primaires, 638
maladies cardio-vasculaires, prévention à long terme, Finlande, 420
Malawi, trousses prêtes à l'emploi pour le traitement d'urgence du neuropaludisme et de la méningite, 263
tuberculose dans le district de Karonga, 304
Mali, choléra, vaccin anticholérique buccal vivant CVD 103-HgR chez l'adulte, 69
cartographie du trachome, 599
méfloquine, dans le traitement du paludisme à falciparum non compliqué, Myanmar, **S1**, *40*

épidémie : vaccination ou traitement, 140
méningite, neuropaludisme et trousses prêtes à l'emploi, 263
scores pronostiques dans les épidémies Afrique, 151
morbidité gynécologique, Mumbai, Inde, 286
morsures de serpent: situation mondiale, 520
mortalité maternelle, dans une zone rurale de l'ouest du Maharashtra, Inde, 597
moustiquaires, essai d'un traitement insecticide des, République-Unie de Tanzanie, 613
Myanmar, efficacité de l'association artésunate + méfloquine, dans le traitement du paludisme à falciparum non compliqué, **S1**, *40*

Neisseria meningitidis, détection des souches résistantes à la pénicilline, 393
Népal, Kala-azar, connaissances, attitudes et pratiques, communautés rurales, 489
prestations de service, détermination du coût à partir des informations tirées des états financiers, 267
neuropaludisme et méningite, trousses prêtes à l'emploi, 263
nomenclature, immunoglobulines A et autres protéines impliquées dans le système immunitaire mucosal, 428
notice nécrologique, Jonathan Mann, iii–iv, (No 5)

OMS, cinquantième anniversaire, éditorial, 1

paludisme, à falciparum non compliqué, efficacité de l'association artésunate + méfloquine dans le traitement, Myanmar, **S1**, *40*
observance des traitements, Thaïlande, **S1**, *65*
à *P. vivax*, effet du conditionnement des médicaments, Chine, **S1**, *26*
résurgence dans la Province du Henan, Chine, 269
amélioration de l'observance du traitement antipaludique par la quinine + tétracycline, Cambodge, **S1**, *49*
de l'enfant, République populaire lao, **S1**, *33*
interventions pour améliorer l'utilisation des antipaludiques, Asie du Sud-Est, **S1**, *18*
phénobarbital employé à faible dose comme indicateur de l'observance du traitement, **S1**, *72*
sur les hauts plateaux d'Afrique, 43
utilisation et qualité des antipaludiques, Viet Nam, **S1**, *57*
Papouasie-Nouvelle-Guinée, dépistage des maladies sexuellement transmissibles chez la femme en milieu rural, 409
pathologies digestives, Afrique subsaharienne tropicale, 211
Paralysie flasque aiguë, Pays-Bas, 1992-1994, 61
Pays-Bas, paralysie flasque aiguë, 1992-1994, 61
Pays de Galles, transmission d'*Echinococcus granulosus*, South Powys, 472
pénicilline, détection des souches de *Neisseria meningitidis* résistantes à la, 393
PEV, *voir* vaccination
phénobarbital, faible dose, indicateur de l'observance du traitement antipaludique, **S1**, *72*
poliomyélite, flambée au Soudan, remise en ordre du Programme élargi de vaccination, 340
politique de vaccination, BCG en Europe, 90
pratiques de prescription médicale à Pune, Inde, 274
prestations de santé, ordinogramme pour les interventions et les recherches, 22
prestations de service, détermination du coût à partir des informations tirées des états financiers, Népal, 267

quinine, amélioration de l'observance du traitement antipaludique , Cambodge, **S1**, *49*
observance des traitements contre un paludisme à falciparum non compliqué,Thaïlande, **S1**, *65*

rage, effet inhibiteur des immunoglobulines antirabiques sur l'immunogénicité de la vaccination antirabique, Indonésie, 494
recours aux soins, déterminants, Cotonou, Bénin, 195
République-Unie de Tanzanie, essai d'un traitement insecticide des moustiquaires, 613
République populaire lao, paludisme de l'enfant, **S1**, *33*
rougeole, comparaison du vaccin AIK-C avec le vaccin Schwarz,Ghana, 358

sang, banques de sang de cordon, 315
santé bucco-dentaire, prévalence des caries et proportion de personnes édentées, Europe, 417
seringues "autobloquantes", 100
séroprévalence du VIH, chez les femmes de Mumbai,Inde, 286
Sibérie occidentale, estimation de la prévalence et causes de la stérilité, 187
SIDA, surveillance mondiale et prévisions, 434 (rétrospective)
soins de santé primaires, modèle sud-africain pour la prise en charge des maladies non transmissibles, 638

solution de réhydratation orale, traitement des diarrhées avec déshydratation, 323 (commentaire)
Soudan, remise en ordre du Progamme élargi de vaccination à la suite d'une flambée de poliomyélite, 340
sport, enfants, déclaration de consensus, 549
stérilité, prévalence et causes en Sibérie occidentale, 187
Streptococcus pneumoniae, résistance aux antibiotiques chez les enfants, Lesotho, 649
surveillance des maladies infectieuses, analyse des séries chronologiques, 333
surveillance de la paralysie flasque aiguë, Pays-Bas, 1992–1994, 61
Syndrome d'immunodéficience acquise, *voir* SIDA, VIH/SIDA

test d'agglutination au latex, trypanosomiase africaine, 525
tétanos, dans la région des Marches, Italie, 52
tétraclycline, amélioration de l'observance du traitement antipaludique par la quinine + tétracycline, Cambodge, **S1**, *49*
observance des traitements contre un paludisme à falciparum non compliqué, Thaïlande, **S1**, *65*
Thaïlande, observance des traitements contre un paludisme à falciparum non compliqué, **S1**, *65*
trachome, cartographie du, Mali, 599
Triatoma infestans, densité domiciliaire de, Argentine 383
trypanosomiase africaine, dépistage par des équipes mobiles et des agents de santé communautaires, 559
test d'agglutination au latex, 525
trypanosomiase américaine, *voir* Maladie de Chagas
tuberculose, culture rapide du bacille tuberculeux, 311
étude comparative sur la, Madras, Inde 122 (rétrospective)
issue du traitement: évaluation et déterminants, 308
mesure et déterminants de l'issue de la, district de Karonga, Malawi, 304
traitement rendu accessible à tous, 126 (commentaire)

vaccin, anticholérique oral, rentabilité, 350
comparaison du vaccin antirougeoleux AIK-C avec le vaccin Schwarz, Ghana, 358
vaccination, pendant une épidémie de méningite, 140
remise en ordre du Progamme élargi, Soudan, 340
Viet Nam, utilisation et qualité des antipaludiques, **S1**, *57*
VIH/SIDA, dans les années 90 et au-delà, 442 (commentaires)
épidémie au Penjab, tendances sur une décennie, 512

AUTHOR INDEX — INDEX DES AUTEURS

Afari, E.A., 353
Aflatonian, M-R., 289
Ag El Mouchtahide, M., 599
Ajayi-Obe, E.K., 149
Alkali, A.S., 149
Allard, R., 327
Alnwick, D., *Supplement No.2*, 55
Alpers, M.P., 401
Al Sabir, A., 161
Ambrosetti, M., 475
Andrus, J., *Supplement No.2*, 42
Anothay, O., *Supplement No.1*, 29
Antunes, C.M.F., 385
Appignanesi, R., 47
Arifeen, S.E., 161
Aslanian, R., *Supplement No.2*, 42
Aylward, B., *Supplement No.2*, 26, 42

Badaro, R., 25
Balint, G.A., 207
Bamani, S., 599
Banou, A., 599
Baqui, A.H., 161
Barbieri, M.A., 73
Barmes, D.E., 237
Basset, D., 203
Bastien, P., 203
Behbehani, K., 25, *Supplement No.2*, 64
Behets, F.M-T., 189
Berman, J.D., 25
Bernard, P.M., 3
Bettiol, H., 73
Bhatia, R., 93
Bilous, J., *Supplement No.2*, 42
Birmingham, M.E., 335
Black, R.E., 161
Bolotova, V.P., 183
Boré, B., 599
Bougoudogo, F., 63
Boulter, A.R., 459
Bourgeois, D., 237, 413
Brabin, L., 277
Bresee, J.S., 525
Bryceson, A.D.M., 25
Büscher, P., 553

Cai, S., 153
Carle, F., 47
Carneiro, M., 385
Carrasco, P.A., *Supplement No.2*, 47
Cavallo, J.-D., 393
Cecere, M.C., 373
Chalmers, I., 17
Chao, D.N.W., 617
Chin, J., 429
Chippaux, J.-P., 515
Chuit, R., 373
Cimprichova, L., 85
Cissé, F., 195
Clancy, L., 85
Cohen, J.E., 373
Cohen, M., 189
Cohen, M.L., *Supplement No.2*, 61
Coleman, R., 633
Conyn-van Spaendonck, 55
Costa, F.C., 385
Coulibaly, S., 599
Coyaji, K.J., 591
Craig, P.S., 469
Creese, A., *Supplement No.2*, 26
Cullinan, T.R., 257
Cunliffe, N.A., 525

Dallabetta, G.A., 189
Danilova, I., 475
Dankova, D., 85
Das, M.L., 485
da Silveira, C.M., *Supplement No.2*, 47
Davidson, R., 25
Dawson, J.J.Y., 109
Dayrit, M.M., *Supplement No.2*, 80
Dedet, J-P., 203
Denis, M.B., *Supplement No.1*, 29
de Quadros, C., *Supplement No.2*, 42, 47
Dereure, J., 203
D'Errico, M.M., 47
Devadatta, S., 109
Dhittal, S.P., 459
Dollimore, N., 277
Doua, F., 559
Dowdle, W.R., *Supplement No.2*, 6, 22
Duan Jihui, *Supplement No.1*, 21
Dunyo, S.K., 353
Dzenowagis, J., 545

Elhassan, A.A., 335
Ellwein, L.B., 459
ElZein, H.A., 335

Fabre, R., 393
Feely, M., *Supplement No.1*, 67
Fekri, A-R., 289
Fenner, F., *Supplement No.2*, 68
Figueroa, J.P., *Supplement No.2*, 5, 89
FIMS/WHO Ad Hoc Committee on Sports and Children, 445, 549
Fine, P.E.M., 295
Floury, B., 195
Foege, W.H., 219, 233, *Supplement No.2*, 109
Fontaine, O., 325
Foster, K.L., *Supplement No.2*, 5
Fox, W., 109
Fraser-Hurt, N., 607
Fungladda, W., *Supplement No.1*, 59, 67

Galbati, M., 149
Ganatra, B.R., 591
Gandhi, J.C., 93
Génécé, E., 189
Gill, G., 633
Glass, R.I., 525
Glynn, J.R., 295
Gogate, A., 277
Gogate, S., 277
Gomes, M., *Supplement No.1*, 9
Gomes, U.A., 73
Gomes do Espirito Santo, E., 195
Goodman, R.A., *Supplement No.2*, 5
Grim, P., 149
Grzemska, M., 475
Gürtler, R.E., 373

Habicht, J-P., 127
Harries, A.D., 651

Hart, C.A., 277, 525
Hausman, B., 135
Hay, A., *Supplement No.1*, 21, 67
Henderson, D.A., 219, *Supplement No.2*, 17
Henderson, R.H., *Supplement No.2*, 14
Hersh, B.S., *Supplement No.2*, 47
Heymann, D., 545
Hill, K., 161
Hinman, A.R., *Supplement No.2*, 85
Hirasing, R.A., 55
Honrado, E.R., *Supplement No.1*, 59
Hopkins, D.R., *Supplement No.2*, 38
Hossain, I., 449, 565
Huang, K., 497, 581
Huebner, R., 641
Hull, H.F., *Supplement No.2.*, 42
Huq, M.I., 319

Irwig, L., 17
Islam, R., 319, 449
IUIS/WHO Subcommittee on IgA Nomenclature, 427
Ivanovo Tuberculosis Project Study Group, 475

Jackson, S., 265, 361, 497, 581
Jafari, H., *Supplement No.2*, 42
Jagannath, K., 309
Jain, D.C., 93
Janardhanam, B., 109
Jin, T., 153

Kamat, S.R., 109
Kamesipour, A., 289
Kamolratanakul, P., *Supplement No.1*, 59
Kane, M., 99
Karande, A., 277
Karbwang, J., *Supplement No.1*, 59, 67
Karki, P., 485
Karrar, Z.A., 335
Kaswekar, A.P., 93
Kengling Huang, 361, 581
Khanna, R., 277
Khare, S., 93
Khomenko, A.G., 475
Kilgore, P.E., 525
Kimura, E., 575
Kitayaporn, D., *Supplement No.1*, 59
Klugman, K.P., 641
Koesharyono, C., 491
Koirala, S., 485
Kondrachine, A.V., 11
Koning, de K., 277
Koornhof, H.J., 641
Koram, K.A., 353
Koroivueta, J., 575
Kotloff, K.L., 63
Koumaré, B., 63
Kshirsagar, M.J., 271
Kuzoe, F., 25

Lang, J., 491
Langada, D., 271
Laveissière, C., 559
Le Dinh Cong, *Supplement No.1*, 51
Lee, J.W., *Supplement No.2*, 26
Lejon, V., 553
Le Nguyen Binh, *Supplement No.1*, 51
Le-Yuan Shang, 265
Levine, M.M., 63
Liang Jun, *Supplement No.1*, 21
Li Qingjun, *Supplement No.1*, 21
Li, X., 497
Liautaud, B., 189
Lindsay, S.W., 33
Lloyd, S., 469
Lodi, E., 149
Losonsky, G.A., 63
Losos, J., *Supplement No.2*, 94
Luo, N., 525
Lupiwa, S., 401
Lupiwa, T., 401
Lyimo, E.O.K., 607

McFarland, D.A., 343
Magnus, E., 553
Maher, C., *Supplement No.2*, 26
Maher, D., 125, 307, 651
Mann, J., 429
Mannoni, B., 149
Martens, W.J.M., 33
Martet, G., 393
Martines, J., 127
MAS054 Clinical Investigator Group, 491
Masngammueng, R., *Supplement No.1*, 59
Mataika, J.U., 575
Meda, A.H., 559
Melgaard, B., *Supplement No.2*, 26
Mersel, A., 413
Mgone, C.S., 401
Migliori, G.B., 85, 475
Millar, J.D., 219
Mitra, S.N., 161
Mock, N., 143
Mohammed, I., 149
Morais, M.B., 173
Morais, T.B., 173
Mthwalo, M., 641
Munthali, M.M., 295
Murray, J., 335
Murtomaa, H., 237
Myint Lwin, *Supplement No.1*, 35

Nadim, A., 289
Narcisse, M., 189
Nasidi, A., 149
Navaratnam, V., *Supplement No.1*, 21
Netrebenko, O., 143
Nicholas, S., 277
Nicolas, P., 393
Nihtila, A., 413
Nikian, Y., 289
Nissinen, A., 419
Nithila, A., 237
Nkrumah, F.K., 353
Nogueira, A.C., *Supplement No.2*, 47
Nordberg, G., 153
Nunn, P., 125, 307, 651

Omer, A., 335
Oblapenko, G., *Supplement No.2*, 42
Okwo-Bele, J.-M., *Supplement No.2*, 26, 42
Olivé, J.-M., *Supplement No.2*, 26
OMS *voir* FIMS
Oostvogel, P.M., 55
Osei-Kwasi, M., 353
Oza, V.B., 93

Pang, L., 25, and *Supplement No.1*, 9
Parija, S.C., 485
Passey, M., 401
Patel, S.B., 93
Patil, S., 271
Patki, P.S., 271
Pelto, G., 127

Peng Li, 265
Perry, H., 449, 565
Perry, R.T., 63
Pham Thi Yen, *Supplement No.1*, 51
Philippov, O.S., 183
Pickard, C.E., *Supplement No.1*, 67
Pieterick, C., 257
Plowe, C.V., 63
Pongvongsa, T., *Supplement No.1*, 29
Pönnighaus, J.M., 295
Potemkina, T.V., 183
Prospero, E., 47
Punga, V.V., 475
Puska, P., 419

Radhakrishna, S., 109
Radionchenko, A.A., 183
Rafiq-ul Islam, 565
Ramakrishnan, C.V., 109
Rao, V.N., 591
Raviglione, M.C., 475
Reilly, A., 245
Reynes, J., 203
Ribka, L.N., 475
Ritmeijer, K., 135
Rooney, C., 149

Sacko, D., 599
Salisbury, D., 72
Salomaa, V., 419
Samadi, A.R., 319
Sane, B., 559
Sawert, H., 475
Schémann, J.F., 599
Schwartlander, B., 437
Sehgal, S., 509
Sema, N.H., 553
Sharifi, I., 289
Shimada, M., 575
Shires, S., *Supplement No1*, 21, 67
Sichone, W., 295
Sigulem, D.M., 173
Silva, A.A.M., 73
Simanjuntak, G.H., 491
Singh, J., 93
Sittitrai, W., 437
Sleigh, A.C., 265, 361, 497, 581
Soe Aung, *Supplement No.1*, 29
Soerjosembodo, S., 491
Sokhey, J., 93
Somasundaram, P.R., 109
Steele, A.D., 525
Stott, H., 109

Tang Laiyi, *Supplement No.1*, 21
Tarvid, J., 617
Thakur, C.P., 25
Thimasarn, K., *Supplement No.1*, 59
Thulasiraj, R.D., 459
Tin Shwe, *Supplement No.1*, 29
Tiwara, S., 401
Trigg, P.I., 11
Trnka, L., 85
Trowbridge, F.L., *Supplement No.2*, 5
Truong Van Nhu, *Supplement No.1*, 51
Tuomilehto, J., 419

Underwood, B.A., *Supplement No.2*, 34

van Loon, A.M., 55
Van Meirvenne, N., 553
Varley, R.C.G., 617
Vartiainen, E., 419
Vasanthakumari, R., 309
Veeken, H., 135
Velu, S., 109
Vitor, R.W.A., 385
Voronovskaya, N.I., 183

Waldman, R.J., 343
Walters, T.M.H., 469
Warndorff, D.K., 295
Wasas, A., 641
Wasserman, S.S., 63
Wasunna, K.M., 25
Wayling, S., *Supplement No.1*, 9
Weerasuriya, K., 25
Weierbach, R., 449, 565
Welch, K.J., 143
WHO Consultation on Prevention and Control of Enterohaemorrhagic *Escherichia coli* (EHEC) Infections, 245
WHO *see* FIMS
WHO *see* IUIS
Wilkinson, D., 633

Xi-Li Liu, 265
Xueming Li, 361, 581

Yue, L., 153

Zellweger, J.P., 85
Zhang Xiangjun, *Supplement No.1*, 21
Zitova, J., 85
Zoysa, de I., 127
Zwarenstein, M., 17
Zwi, A., 17